化工系傳立葉紅外線光譜儀 (FTIR Tracer-100) 使用申請單

							No.	
申請日期:	年	月	日	時				
測試日期:	年	月	日	時 至	年	月 日	時	
實驗條件:	1. Meas	urement 1	nethod :]Penetra	ation mod	le ATR	☐Grazing Angle
	2. Detec	tor:	□DGS		ICT			
	3. Samp	le Types :	: Solic	ds	owders	∐Liqu	uids 🔲	Others
自備零件及	藥品:	液氦5001	ml、KB	Br · Alcoh	ol 、Na	Cl Cell \	· 拭鏡紙 ·	、夾子、特殊零件
1.願遵守精	密儀器』	及常用設	備管理	辦法。	借用	人:		
2.儀器如有	損壞,屬	額意負責	修復。		指導	掌教授:		
3.儀器負責	老師意見	見:						
4.技術員意				應繳儀器				
5.外系或外	校申請ā	者,請化	工系主	任簽名:_				
	化工	系傳立奪		光譜儀(FTIR T	racer-100))使用杉 No.	
測試日期:	年	月	日	時 至	年	月 日	_	
1.請閱讀精	郊 僕 哭]	4 中 田 弘	供答	始 注 。		供用人	:	
2.使用前先						旧用八	•	
3.消耗性器					田老拵	啓記使用	時間比例	[分 擔 。
4.測固體樣				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
5.本系使用	者需繳付	儀器維修	基金:		天,一	學期年緣	数滿 20000	元者,則該學年內
								· · 次使用權利,並縮
短其往後						д ЦХ:	1 44 44 7/1 16/	(人区川淮州) 亚洲
7.嚴禁自行	移動儀器	器之任何	元件,	由技術員	操作。	違者,禁	止再使用	該儀器。
*本儀器目息	前負責之	Z技士為 ₋		黃雅慧	(E2-20)5-2)		
*本儀器目創	前負責之	Z老師為 _.		曾堯宣	(E2-	811)		

化工系傅立葉轉換紅外線光譜分析儀(FTIR Tracer-100)使用申請單

Registration form for Fourier Transform Infrared Spectrometer (FTIR Tracer-100)

						No			
Re	egistration da	ate (Month/Date/Ye	ear):						
Re	egistration ti	me:							
Aı	nalysis detai	ls:							
		 Measurement Detector : 	method : Po	enetration mode		Grazing Angle			
		3. Sample Types	: Solids	□ Powders	Liquids	□Others			
Es	sentials self	-prepared by the use	er: Delicate tasl N2 \ Others	- '	ell, Spatulas, K	Br, Alcohol, Liquid			
2.	I am willin	ng to take the repairi	ng responsibilit	y if the instrumen	t is damaged.	ture:			
3.	Comments	from the professor	-in-charge:						
4.5.	4. Comments from the instrument technician: (usage fee to be charged: NT dollar.) (Accumulated charged usage-fees of this academic year : NT dollar.) 5. Signature of the chairman of the Chemical Engineering Department : (Required for applicants from departments/institutions other than Chemical Engineering)								
Sc		化工系傅立葉轉 Permission for Fo ge (Month/Date/Ye	ourier Transfoi	rm Infrared Spec	etrometer (FT				
Sc	heduled usa	ge time:							
Us	ser name:								
1. 2. 3.	Please care Be sure to Consumpti by all the u Rates for in (1) Ch.E., dollars within (2) Users f (3) Users f DO inform	nsers and charged to nstrumentation usag NTUST users: 600 . NO registration we the first two months from other NTUST of from other institution	usage in the reg paper and pens, each user based ge: NT dollars/ 0.50 fill be allowed it s of the new aca departments: 15 ns: 3000 NT do nin 24 hours of	gister before operative will be provided don the accumulated day, Maximum chaft the charged feed demic year. 100 NT dollars/0.5 day.	by the departmented usages. arges for an acaes of the previous				
Pr	ofessor-in-cl	harge for FTIR	Yao-Hsuan Tser	ng 曾堯宣(E2-8	11)				
Te	echnician for	· FTIR	Ya-Hui Huan	σ 帯雅彗 (F2-20)5-2)				